


Jan.1.2026 Copyright 2026 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
 2 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
3	RE-F-09671	K.N	H.Y	04.04.08					

RECOMMENDED LAND PATTERN DIMENSION OF P.C.B. (MOUNTING SIDE)



DIMENSION TABLE OF CONNECTOR AND P.C.B. LAND PATTERN.

PART No.	CODE No.	5	A	B	C	D	E
FX8C-60P-SV1(92)	CL578-0521-6-92	60	24.60	23.00	20.70	17.40	22.20
FX8C-80P-SV1(92)	CL578-0523-1-92	80	30.60	29.00	26.70	23.40	28.20
FX8C-100P-SV1(92)	CL578-0525-7-92	100	36.60	35.00	32.70	29.40	34.20
FX8C-120P-SV1(92)	CL578-0526-0-92	120	42.60	41.00	38.70	35.40	40.20
FX8C-140P-SV1(92)	CL578-0527-2-92	140	48.60	47.00	44.70	41.40	46.20

- NOTE. LEAD CO-PLANARITY SHALL BE 0.1mm MAX.
 2. EMBOSSED CARRIER TAPE PACKAGING SHALL BE APPLIED FOR THIS PRODUCT.
 3. SEE NEXT PAGE FOR DETAILS.
 4. FOR MODIFICATION, ETC., PREVENTIVE HOLE FOR SINK MARK MAY BE ADDED ACCORDING TO CIRCUMSTANCES.
 5. THE DIMENSIONS IN PARENTHESES ARE FOR REFERENCE.
 5 NUMBER OF CONTACTS.

NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS
1	PPS	LIGHT BROWN (UL94V-0)	2	PHOSPHOR BRONZE	
CONTACT AREA: GOLD 0.1µm min		LEAD AREA: TIN-PLATING 1µm min		UNDER PLATING: NICKEL 1µm min	

NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS
CL					

SCALE	DRAWING NO.	PART NO.	APPROVED	RELEASED
FREE	EDC3-151087-22	FX8C-**P-SV1(92)	Y. YOSHIMURA	




DESIGNED	CHECKED	APPROVED	RELEASED
K. NAKAMURA	H. OKAWA	Y. YOSHIMURA	

DATE	DATE	DATE	DATE
03.02.03	03.02.12	03.02.14	03.02.15

CODE NO. (OLD)	CODE NO.
CL	

DRAWING NO.	PART NO.
EDC3-151087-22	FX8C-**P-SV1(92)

SCALE	UNITS
FREE	mm



TO
 PCK

CL578

1/2

HIROSE ELECTRIC CO., LTD

SCALE

UNITS

mm

CL

FREE

DRAWING NO.

PART NO.

APPROVED

RELEASED

DATE


DATE

DATE


Jan.1.2026 Copyright 2026 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
 2 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
△					△				
△					△				
△					△				

UNREELING DIRECTION




REEL DIMENSION



△ DIMENSION TABLE OF EMBOSSED CARRIER TAPE AND REEL.

PART No.	CODE No.	2	A	B	C	D	E	F
FX8C-60P-SV1(92)	CL578-0521-6-92	60	20	25	20.2	40.4	44	44.4
FX8C-80P-SV1(92)	CL578-0523-1-92	80	26	31	20.2	40.4	44	44.4
FX8C-100P-SV1(92)	CL578-0525-7-92	100	32	37	26.2	52.4	56	56.4
FX8C-120P-SV1(92)	CL578-0526-0-92	120	38	43	26.2	52.4	56	56.4
FX8C-140P-SV1(92)	CL578-0527-2-92	140	44	49	34.2	68.4	72	72.4

NOTE 1 1 REEL : 1000 CONNECTORS
 2 NUMBER OF CONTACTS



TO
 PCK

POLYESTER (TOP COVER TAPE)		(CONNECTOR)			
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS
2	PS		3		
CODE NO. (OLD) CL		DRAWN S. SUZUKI		DESIGNED K. NAKAMURA	
		03.02.03		03.02.12	
		03.02.03		03.02.14	
		03.02.03		03.02.15	
SCALE FREE		PART NO. FX8C-**-P-SV1(92)		APPROVED Y. YOSHIMURA	
UNITS MM		DRAWING NO. EDC3-151087-22		CHECKED H. OKAWA	
		HIROSE ELECTRIC CO., LTD		RELEASER	
		CODE NO. CL578			